


HORIZONTAL STABILIZER AND ELE  
1 REQ. - 3MM CELLFOAM 88, DEPR  
TRAY FOAM

#3

#1

#2


PYLON REINFORCEMENT - 2 REQ.  
2MM CF OR FIBERGLASS ROD  
X 3.5" LONG



ELEVATOR  
ON, OR

FUSELAGE VERTICAL PRO





WING HOLD  
2 REQ. - 1/8"  
WOOD DOWEL

PROFILE - 1 REQ. - 5MM CELLFOAM 88, DEPRON, OR FFF

FUS  
FOA

DOWN DOWELS  
3" X 2-1/4" LONG  
DOWELS




22" WINGSPAN  
4.75 OUNCES  
300 MAH 2S LIPO  
PARK 250 OUTRUNNER  
2-3.7g SERVOS  
MAG8 10A ESC  
AR6100E RX  
PUSHRODS ARE .032" MU  
WHEELS ARE 1.5" PARK  
CONTROL HORNS MAKE

SELAGE LOWER SIDE PANEL - 2 REQ. 1.5-3MM  
AM, DEPRON, OR EPP

DZ1SFB's BUILD OF JIMMY J FLYER's  
20/DEC/2009



# J-Bug

MUSIC WIRE  
FLYERS  
FROM CREDIT CARD STOCK




UTILIZER AND RUDDER  
ELLFOAM 88, DEPRON, OR


LANDING GEAR - 1 REQ.  
1/16" MUSIC WIRE



WING PANEL - 2 REQ. - 5  
DIHEDRAL = 1.5" PER TIP



MM CELLFOAM 88, DEPRON, OR FFF  
MEASURED FROM TOP OF WING






**FIREWALL PARTS 1, 2, AND 3 MAKE FROM 1/16" PLYWOOD**

**#1 - FIREWALL**

**#2 - TRAPS L.G. UP DOWN AND SIDE TO SIDE MOVEMENT**

**#3 - LOCKS WIRE LANDING GEAR INTO FIREWALL ASSEMBLY.**






FUSELAGE HORIZONTAL P  
5MM CELLFOAM 88, DEPRC




PROFILE - 1 REQ.  
ON, OR FFF

ADD .020"-.0  
PROFILES A





30" CF ROD TO THESE 3 EDGES AFTER BOTH FUSELAGE  
AND VERTICAL STABILIZER/RUDDER PARTS ARE ASSEMBLED.

---




VERTICAL STAB  
1 REQ. - 3MM CE  
TRAY FOAM





WING SADDLE REINF. - 2 REQ. -

---



- 5MM CELLFOAM 88, DEPRON, OR FFF